




# 322 Series


## POMPA ALBERO MASCHIO Solid shaft pump



				
idropultrici pressure washers	processi industriali industrial processes	autolavaggio car wash	agricoltura agriculture	cantieri ed edilizia construction industry



Piedi a richiesta.  
Base on request.



Regulating valve  
version







● Model H

3228500

## N version

Flangiatura compatibile XT N.  
XT N flange type.

MOD	COD												
		MAX	MAX		NET	l/min	gpm	bar	psi	hp	kW	N° giri/1'	kg
<b>RR 1450rpm Nversion Ø24mm</b>													
RR 13.20 N	<b>23771</b>	13	3,43	200	2900	7,5	5,5	1450	7,6				
RR 15.15 N	<b>23772</b>	15	3,96	150	2200	5,5	4	1450	7,6				
RR 15.20 N	<b>23507</b>	15	3,96	200	2900	7,5	5,5	1450	7,6				
● RR 15.25 H N	● <b>24934</b>	15	3,96	250	3625	10	7,5	1450	8				
RR 18.12 N	<b>23773</b>	18	4,75	120	1740	5,5	4	1450	7,6				
RR 18.16 N	<b>23774</b>	18	4,75	160	2300	7,5	5,5	1450	7,6				
<b>RRA 1750rpm Nversion Ø24mm</b>													
RRA 3.5 G25 N	<b>23779</b>	13,2	3,5	170	2500	6	4,5	1750	7,6				
RRA 4 G30 N	<b>23780</b>	15,1	4	205	3000	8,2	5,5	1750	7,6				
● RRA 4 G36 H N	● <b>24937</b>	15,1	4	250	3600	8,6	6,4	1750	8				
RRA 5.5 G30 N	<b>23781</b>	20,8	5,5	205	3000	11	8,2	1750	7,6				



● testa  
nichelata  
nickel plated  
brass head



○ bielle in  
bronzo  
bronze  
connecting-rods



testa in  
ottone  
brass  
head



bielle in  
alluminio  
aluminium  
connecting-rods

# 402 Series

## POMPA ALBERO MASCHIO Solid shaft pump



**lavaggio industriale**  
industrial cleaning



**idropultrici**  
pressure washers



**processi industriali**  
industrial processes



**autolavaggio**  
car wash



**agricoltura**  
agriculture






**cantieri ed edilizia**  
construction industry




**antincendio**  
fire fighting



● Model H











Piedi a richiesta.  
Base on request.



4028500

آتور صنعت  
اعتباری ماندگار

## N version

MOD	COD	 MAX	 MAX	 MAX	 MAX				
		l/min	gpm	bar	psi	hp	kW	N° giri/1'	kg
<b>RG 1450rpm Nversion Ø24mm</b>									
RG 13.17 N	<b>25399</b>	13	3,43	170	2500	5,5	4	1450	14
RG 15.15 N	<b>24962</b>	15	3,96	150	2200	5,5	4	1450	14
● RG 15.20 H N	<b>25400</b>	15	3,96	200	2900	7,5	5,5	1450	14,5
● RG 15.25 H N	<b>25401</b>	15	3,96	250	3625	10	7,5	1450	14,5
RG 18.17 N	<b>25402</b>	18	4,75	170	2500	7,5	5,5	1450	14
● RG 18.20 H N	<b>25403</b>	18	4,75	200	2900	10	7,5	1450	14,5
RG 21.15 N	<b>25404</b>	21	5,55	150	2200	7,5	5,5	1450	14
● RG 21.20 H N	<b>25405</b>	21	5,55	200	2900	10	7,5	1450	14,5
● RG 21.25 H N	<b>25406</b>	21	5,55	250	3625	12,5	9,2	1450	14,5
RG 24.15 N	<b>25943</b>	24	6,34	150	2200	7,5	5,5	1450	14,5
<b>RGA 1750rpm Nversion Ø24mm</b>									
RGA 4G 22 N	<b>25407</b>	15,1	4	150	2200	5,5	4	1750	14
● RGA 4G 30 H N	<b>25408</b>	15,1	4	205	3000	7,5	5,5	1750	14,5
RGA 5.5G 22 N	<b>25409</b>	20,8	5,5	150	2200	7,5	5,5	1750	14,5
● RGA 5.5G 30 H N	<b>25410</b>	20,8	5,5	205	3000	10	7,5	1750	14,5



● **testa nichelata**  
nickel plated brass head



**testa in ottone**  
brass head




**bielle in alluminio**  
aluminium connecting-rods

# 402 Series

POMPA ALBERO MASCHIO  
Solid shaft pump



- lavaggio industriale**  
industrial cleaning
- idropultrici**  
pressure washers
- processi industriali**  
industrial processes
- autolavaggio**  
car wash
- produzione**  
manufacturing
- agricoltura**  
agriculture
- municipality**
- misting**
- pulizia tubazioni**  
sewer jetting
- cantieri ed edilizia**  
construction industry
- antincendio**  
fire fighting



4028506



## N version

MOD	COD	MAX	MAX						
		l/min	gpm	bar	psi	hp	kW	N° giri/1'	kg
<b>SRG 1450 rpm Nversion Ø24mm</b>									
SRG 15.35 N	<b>27696</b>	15	3,96	350	5100	15	11	1450	16
SRG 21.35 N	<b>27697</b>	21	5,54	350	5100	20	15	1450	16
SRG 30.35 N	<b>28032</b>	30	7,92	350	5100	30	22	1450	16

**NEW**



**testa in ottone**  
brass head



**bielle in alluminio**  
aluminium connecting-rods

# 402 Series

## POMPA ALBERO MASCHIO Solid shaft pump



**lavaggio industriale**  
industrial cleaning



**idropultrici**  
pressure washers



**processi industriali**  
industrial processes



**agricoltura**  
agriculture




**municipality**



**cantieri ed edilizia**  
construction industry



**antincendio**  
fire fighting



### N version

MOD	COD	MAX		MAX				KG NET
		l/min	gpm	bar	psi	hp	kW	N° giri/1'
<b>RGX 1450rpm</b> Nversion Ø24mm								
RGX 15.50 N	<b>25514</b>	15	3,96	500	7250	20	15	1450
RGX 22.50 N	<b>25638</b>	22	5,8	500	7250	27	20	1450
<b>RGXA 1750rpm</b> Nversion Ø24mm								
RGXA 4G 70 N	<b>25639</b>	15,1	4	500	7250	20	15	1750



**testa in ottone**  
brass head



**bielle in alluminio**  
aluminium connecting-rods



testa in  
ottone  
brass  
head



frequenza  
motore  
motor  
frequency



# HRM-M HJRS / HPV-M







## 476 Series



**NEW**



MOD	 MAX	 MAX						
	l/min	gpm	bar	psi	hp	kw	rpm	kg
<b>HJRS 2800</b>								
● HJRS 01.09	1.0	0.26	90	1300	0.3	0.2	2800	19
● HJRS 02.09	2.0	0.52	90	1300	0.5	0.4	2800	19
● HJRS 04.09	4.0	1.06	90	1300	1.0	0.8	2800	19
● HJRS 06.09	6.0	1.60	90	1300	1.4	1.1	2800	19

آتور صنعت  
اعتباری ماندگار

